

## sour strawberry-red

Sample ID: 2510AFL1877.7214

Internal Lab ID: ATL-32821

Client

Strain: delta-8

MK Consulting

Matrix: Ingestible

Received: 10/24/2025

Lic. #

Type: Soft Chew

Completed: 10/29/2025

11917 sandlake dr

Unit Weight: 4.5797 g

Batch#: lk-d9ghd-003

Boca Raton, FL 33428



### Summary

Test

Date Tested

Result

Batch

Complete

Cannabinoids

10/27/2025

Complete

### Expanded Potency

Complete

**0.047%**

Total THC

**ND**

Total CBD

**0.573%**

Total Cannabinoids

| Analyte          | LOD   | LOQ   | Result | Result  | Analyte                | LOD   | LOQ   | Result       | Result       |
|------------------|-------|-------|--------|---------|------------------------|-------|-------|--------------|--------------|
|                  | %     | %     | %      | mg/unit |                        | %     | %     | %            | mg/unit      |
| CBDVa            | 0.001 | 0.004 | ND     | ND      | 9R-HHC                 | 0.002 | 0.006 | ND           | ND           |
| CBDV             | 0.001 | 0.004 | ND     | ND      | $\Delta^9$ -THCH       | 0.001 | 0.004 | ND           | ND           |
| CBDa             | 0.001 | 0.004 | ND     | ND      | $\Delta^8$ -THCH       | 0.002 | 0.005 | ND           | ND           |
| CBGa             | 0.001 | 0.004 | ND     | ND      | $\Delta^9$ -THCP       | 0.001 | 0.004 | ND           | ND           |
| CBG              | 0.001 | 0.004 | ND     | ND      | $\Delta^8$ -THCP       | 0.001 | 0.004 | ND           | ND           |
| CBD              | 0.001 | 0.004 | ND     | ND      | $\Delta^8$ -THCO       | 0.001 | 0.004 | ND           | ND           |
| THCV             | 0.001 | 0.004 | ND     | ND      | $\Delta^9$ -THCO       | 0.001 | 0.004 | ND           | ND           |
| $\Delta^8$ -THCV | 0.002 | 0.005 | ND     | ND      | 9(S)-HHCP              | 0.002 | 0.005 | ND           | ND           |
| THCVa            | 0.001 | 0.004 | ND     | ND      | 9(R)-HHCP              | 0.002 | 0.005 | ND           | ND           |
| CBN              | 0.001 | 0.004 | 0.012  | 0.56    | 11-Hydroxy-THC         | 0.001 | 0.004 | ND           | ND           |
| $\Delta^9$ -THC  | 0.001 | 0.004 | 0.047  | 2.14    | 1(S)-H4-CBD            | 0.002 | 0.005 | ND           | ND           |
| $\Delta^8$ -THC  | 0.001 | 0.004 | 0.464  | 21.26   | 1(R)-H4-CBD            | 0.002 | 0.005 | ND           | ND           |
| (6aR,9S)-d10-THC | 0.002 | 0.005 | ND     | ND      | $\Delta^9$ -THCB       | 0.001 | 0.004 | ND           | ND           |
| (6aR,9R)-d10-THC | 0.002 | 0.005 | ND     | ND      | $\Delta^8$ -THCB       | 0.002 | 0.005 | ND           | ND           |
| CBC              | 0.001 | 0.004 | ND     | ND      | CBDp                   | 0.002 | 0.005 | ND           | ND           |
| CBCa             | 0.001 | 0.004 | ND     | ND      | $\Delta^8$ -iso-THC    | 0.002 | 0.005 | 0.019        | 0.87         |
| THCa             | 0.001 | 0.004 | ND     | ND      | $\Delta^4(8)$ -iso-THC | 0.002 | 0.005 | 0.031        | 1.41         |
| 9S-HHC           | 0.002 | 0.006 | ND     | ND      | <b>Total</b>           |       |       | <b>0.573</b> | <b>26.24</b> |

Document ID: CoA-1 Potency Rev. 6, Test Method: TM-2

Date Tested: 10/27/2025

Equations: Total Active THC = 9THC + (0.877 \* THCA), Total Active CBD = CBD + (0.877 \* CBDA), Potency via HPLC

ISO/IEC 17025:2017 Accreditation No. 118038

**NT**

Not Tested

Document ID:

Moisture Content

**NT**

Not Tested

Document ID:

Water Activity

**Not Tested**

Document ID:

Foreign Matter



  
Paulo Gonzalez  
Laboratory Director  
10/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.